

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name:** ROAD BIO**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).**1.3. Details of the supplier of the safety data sheet****Company name:** Rydlyme International Pty Ltd

3/11 Blaikie Street

Myaree

Western Australia

WA 6154

Australia

**Tel:** +61 8 9333 0777**Email:** keith@rydlyme.com.au**1.4. Emergency telephone number****Emergency tel:** +61 8 9333 0777**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Eye Dam. 1: H318; Skin Irrit. 2: H315**Most important adverse effects:** Causes skin irritation. Causes serious eye damage.**2.2. Label elements****Label elements:****Hazard statements:** H315: Causes skin irritation.

H318: Causes serious eye damage.

**Hazard pictograms:** GHS05: Corrosion**Signal words:** Danger**Precautionary statements:** P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/detergent and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

# SAFETY DATA SHEET

ROAD BIO

Page: 2

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a.

P321: Specific treatment (see instructions on this label).

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE - REACH registered number(s): 01-2119980051-45-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-45-2	-	Eye Dam. 1: H318; Acute Tox. 4: H302	5-10%

DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-XXXX

229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-5%
-----------	-----------	---	--------------------------------------	------

ALKYLPOLYGLYCOSIDE C9-11

603-654-0	132778-08-6	-	Eye Dam. 1: H318	1-5%
-----------	-------------	---	------------------	------

2-(2-BUTOXYETHOXY)ETHANOL - REACH registered number(s): 01-2119475104-44

203-961-6	112-34-5	-	Eye Irrit. 2: H319	1-5%
-----------	----------	---	--------------------	------

SODIUM HYDROXIDE - REACH registered number(s): 01-2119982981-22

215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1-5%
-----------	-----------	---	---------------------	------

#### Non-classified ingredients:

WATER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	7732-18-5	-	-	60-80%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 3

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

## 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**2-(2-BUTOXYETHOXY)ETHANOL**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>	-	-

**SODIUM HYDROXIDE**

UK	-	2 mg/m <sup>3</sup>	-	-
----	---	---------------------	---	---

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Refer to specific Member State legislation for requirements under Community environmental legislation.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Pale yellow

**Evaporation rate:** Slow

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** Non-viscous

**Boiling point/range°C:** ~100

**Flash point°C:** >93

**Relative density:** 1.06

**pH:** 11

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 5

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### PRIMARY ALCOHOL ETHOXYLATE

DERMAL	-	LD50	>2000	mg/kg
ORAL	-	LD50	>300, <2000	mg/kg

#### DISODIUM METASILICATE

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

#### ALKYLPOLYGLYCOSIDE C9-11

ORAL	-	LD50	2000	mg/kg
------	---	------	------	-------

#### 2-(2-BUTOXYETHOXY)ETHANOL

ORL	MUS	LD50	6050	mg/kg
-----	-----	------	------	-------

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 6

ORL	RAT	LD50	4500	mg/kg
-----	-----	------	------	-------

## SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

#### Hazardous ingredients:

##### PRIMARY ALCOHOL ETHOXYLATE

ALGAE	LL/EL/IL50	>100	mg/l
Daphnia magna	LL/EL/IL50	1-10	mg/l
FISH	LL/EL/IL50	1-10	mg/l

##### DISODIUM METASILICATE

ALGAE	96H LC50	>1000	mg/l
DAPHNIA	48H EC50	4857	mg/l
FISH	96H LC50	3185	mg/l

##### ALKYLPOLYGLYCOSIDE C9-11

FISH	96H LC50	10	mg/l
------	----------	----	------

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 7

## 2-(2-BUTOXYETHOXY)ETHANOL

Daphnia magna	48H EC50	>1000	mg/l
FISH	96H LC50	2700	mg/l

## SODIUM HYDROXIDE

DAPHNIA	48H EC50	40.4	mg/l
Gambusia affinis	96H LC50	125	mg/l
Photobacterium phosphoreum	15min LC50	22	mg/l
Poecilia reticulata	24H LC50	145	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** May be reused following decontamination.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

[cont...]

# SAFETY DATA SHEET

ROAD BIO

Page: 8

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.